



Safety Data Sheet

Product No. 891-31, 891-34 Pelco Ultra Vacuum

Oil

Issue Date: 6-01-15

Review Date: 8-14-15

Section 1: Product and Company Identification

Product Name:

Synonym:

Company Name

Ted Pella, Inc., P.O. Box 492477, Redding, CA 96049-2477

Domestic Phone (800) 237-3526 (Mon-Thu. 6:00AM to 4:30PM PST; Fri 6:00AM to 4:00PM PST)

International Phone (01) (530) 243-2200 (Mon-Thu. 6:00AM to 4:30PM PST; Fri 6:00AM to 4:00PM PST)

Chemtrec Emergency Number 1-800-424-9300 24 hrs a day.

Section 2: Hazard Identification

GHS Pictograms: Not applicable. This product is not classified according to the CLP regulation. Information concerning particular hazards for human and environment: A health risk is not expected. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculate. Used oil may contain harmful impurities.

GHS Categories: None.

Hazard pictograms: No GHS symbol or Void

Hazard statements: Void

Precautionary statements: Void

Signal Word: No word required or Void

Health Effects:

NFPA Hazard Rating: Health: 1; Fire: 1; Reactivity: 0

HMIS® Hazard Rating: Health: 1; Fire: 1; Reactivity: 0

(0=least, 1=Slight, 2=Moderate, 3=High, 4=Extreme)

Results of PBT and vPvB assessment:

PBT: ND

vPvB: ND

Emergency overview:

Appearance: Clear liquid.

Immediate effects: Non-hazardous in bulk liquid form at low to moderate temperature. Prolong/repeated skin contact may cause irritation/dermatitis. Heating to high temperature or mechanical actions may produce fumes which may cause irritation of the breathing passages.

Potential health effects

Primary Routes of entry: ND

Signs and Symptoms of Overexposure: ND

Eyes: May cause irritation

Skin: Prolonged or repeated contact with skin may cause irritation and possible dermatitis.

Ingestion: Low toxicity on ingestion has laxative effect and is rapidly eliminated.

Inhalation: Vapor pressure is very low. Vapor inhalation under ambient conditions is normally not a problem. Inhalation of oil mist or vapors at elevated temperature may cause respiratory irritation. Negligible breathing hazard at normal temperatures (up to 38°C/100°F) or recommended blending temperatures. Elevated temperatures or mechanical action may form vapors, mist and fumes. Inhalation of oil mist or vapors from hot oil may cause irritation to the upper respiratory tract. Oil deposits in the lung may lead to fibrosis and reduced pulmonary functions.

Chronic Exposure: ND

Chemical Listed As Carcinogen Or Potential Carcinogen: No

See Toxicological Information (Section 11)

Potential environmental effects

See Ecological Information (Section 12)

Section 3: Composition / Information on Ingredients

No hazardous substances or complex substances required for disclosure.

Section 4: First Aid Measures

If accidental overexposure is suspected

Eye Contact: Check for and remove any contact lenses. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.

Skin Contact: Wash with soap and water. Get medical attention if symptoms occur.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms appear.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.

Notes to physician: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Section 5: Fire Fighting Measures

Flash Point: 247°C

Flammable Limits: LEL: ND UEL: ND

Auto-ignition point: ND

Fire Extinguishing Media: Use dry chemical, CO₂, water spray (fog) or foam.

Special Fire Fighting Procedures: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

Unusual Fire and Explosion Hazards: Containers may explode if exposed to fire.

Hazardous combustion products: No specific data.

DOT Class: Not regulated.

Section 6: Accidental Release Measures

Steps to be Taken in Case Material is Released or Spilled

Personal precautions: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Waste Disposal Methods: Dispose of waste according to Federal, State and Local Regulations.

Section 7: Handling and Storage

Handling: Put on personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8: Exposure Controls / Personal Protection

Engineering Controls

Ventilation required: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Personal Protection Equipment

Respiratory protection: A respirator is not needed under normal and intended conditions of use.

Protective gloves: Natural rubber (latex)

Skin protection: Lab coat

Eye protection: Safety glasses

Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Exposure Guidelines

See Composition/Information on Ingredients (Section 3)

Section 9 Physical and Chemical Properties

Appearance and Physical State: Clear liquid.

Odor (threshold): Mild

Specific Gravity (H₂O=1): 0.86 g/ml

Vapor Pressure (mm Hg): <0.0001 Torr @ 25°C

Vapor Density (air=1): ND

Percent Volatile by volume: NA

Evaporation Rate (butyl acetate=1): ND

Boiling Point: 160°C

Freezing point / melting point: ND

pH: NA

Viscosity: 55cSt (55mm²/sec) at 40 °C

Pour point: < -10 °C (14 °F)

Solubility in Water: Negligible

Section 10: Stability and Reactivity

Stability: This product is stable

Conditions to Avoid: No specific data

Materials to Avoid (Incompatibility): Oxidizing materials

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous Polymerization: Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11: Toxicological Information

Results of component toxicity test performed:

Sensitizer: No data available to indicate product or components may be a skin sensitizer.

Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.

Reproductive and Developmental Toxicity: No data available to indicate product or any components present at greater than 0.1% may cause birth defects.

Specific target organ toxicity (single exposure): Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category

Specific target organ toxicity (repeated exposure): Non-hazardous under Specific Target Organ Systemic Toxicity Repeated category

Human experience: NA

This product does not contain any compounds listed by NTP or IARC or regulated by OSHA as a carcinogen.

Section 12: Ecological Information

Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.

Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil.

Results of PBT and vPvB assessment: Not determined

Other adverse effects: No data available.

Section 13 Disposal Considerations

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Federal, State and local laws governing disposal of materials can differ. Ensure proper disposal compliance with proper authorities before disposal.

Section 14: Transportation Information

US DOT Information: Not regulated

IATA: Not regulated

IMO: Not regulated

Marine Pollutant: No

Canadian TDG: Not regulated

Section 15: Regulatory Information

United States Federal Regulations

SDS complies with OSHA's Hazard Communication Rule 29, CFR 1910.1200.

SARA: None of the ingredients is listed.

SARA Title III: None of the ingredients is listed.

RCRA: Not listed

TSCA: All components are listed on the TSCA public inventory

CERCLA: None of the ingredients is listed

State Regulations

California Proposition 65: None of the ingredients is listed.

International Regulations

Canada WHMIS: ND

Europe EINECS Numbers: ND

Section 16: Other Information

Label Information: See section 2

European Risk and Safety Phrases: ND

European symbols needed: ND

Canadian WHMIS Symbols: ND

Abbreviations used in this document

NE= Not established

NA= Not applicable

NIF= No Information Found

ND= No Data

Disclaimer

Ted Pella, Inc. makes no warranty of any kind regarding the information furnished herein. Users should independently determine the suitability and completeness of information from all sources. While this data is presented in good faith and believed to be accurate, it should be considered only as a supplement to other information gathered by the user. It is the User's responsibility to assure the proper use and disposal of these materials as well as the safety and health of all personnel who may work with or otherwise come in contact with these materials.