

Material Safety Data Sheet

Established: Dec 17, 2003

1. PRODUCT AND COMPANY IDENTIFICATION

Trade name:

Pikal Metal Polish (Paste type)

Manufacturer information:

Company name: Nihon Maryo Kogyo Co., Ltd.

Address: 3-23-15, Takanawa, Minato-ku Tokyo,
Japan

Tel: 03-3441-6231

Fax: 03-3441-6236

2. Composition/information on ingredients:

| | CAS No. | Weight% |
|-------------|-----------------------------|---------|
| Abrasives | 1344-28-1 } 7631-86-9 } | 40 |
| Mineral Oil | 64742-56-9 } 8008-20-6 } | 36 |
| Fatty Acid | 112-80-1 | 12 |
| Wax | 8002-74-2 | 12 |

3. Hazards identification:

Name of classification: Not applicable

4. First-aid measures:

Inhalation: Remove to fresh air.

Eye contact: Do not rub the eyes as the product contains abrasive powder. Wash the eyes with clean running water for more than 15 minutes and see a doctor if necessary.

Skin contact: Wash thoroughly with soap and then rinse with water.

Ingestion: Wash the mouth thoroughly with water. Water may be taken to dilute inside the stomach. Seek medical advice and see a doctor if necessary.

Pikal Metal Polish (Paste type)

5. Fire-fighting measures:

Flammability: Flammable

Extinguishing media: Sand, powder, carbon dioxide, foam, etc

6. Accidental release measures:

Personal precautions: Avoid contact with eyes and skin.

Environmental precautions: DO not empty into drains.

Cleaning methods: Wipe thoroughly with wiping cloths.

7. Handling and storage:

Handling: Avoid contact with fire or high temperature material.

When using for a long time continuously, wearing Rubber gloves are desirable to prevent abrasive powder friction with the skin.

Storage: Store above 0°C and under 40°C.

Keep out of reach of children.

8. Exposure controls and personal protection:

Control procedures: Use in well ventilated areas.

Personal protection: Rubber gloves (in using for a long time Continuous)

9. Physical and chemical properties:

External appearance: Khaki Paste

Liquid property:

Flash point: 62°C

Melting Point 53°C

Boiling point: 150°C

Relative density: 1.1 (at 20°C, water=1)

Solubility in water: Negligive

10. Stability and reactivity: Stable under normal conditions of use.

11. Toxicological information: No data

Pikal Metal Polish (Paste type)

12. Ecological information: No information

13. Disposal considerations: Entrust disposal to disposal agents.

14. Transport information: Prevent rough handling, such as
dropping of packages, etc.

15. Regulatory information: No information

16. Other information: No information
