

Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 03.02.2022

Version number 1

Revision Date 03.02.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier • Trade name: Euparal thinner · Article number: AGR1344B · 1.2 Relevant identified uses of the substance or mixture and uses advised against Laboratory chemicals, Manufacture of substances. · Application of the substance / the preparation: No further relevant information. · 1.3 Details of the supplier of the safety data sheet · Supplier. Agar Scientific Ltd Parsonage Lane Stansted CM24 8GF United Kingdom sales@agarscientific.com Tel: +44 (0) 1279 813 519 · Further information obtainable from: Technical Support · 1.4 Emergency telephone number: 24 hours: +44 (0)1856 407333 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame Flam. Liq. 3 H226 Flammable liquid and vapour. Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 GHS07 · Signal word Warning · Hazard-determining components of labelling: Eucalyptol Paraldehyde · Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. (Contd. on page 2) GB



Version number 1

Revision Date 03.02.2022

Trade name: Euparal thinner

Date Printed 03.02.2022

	(Contd. of page 1)			
Precautionary statements				
P101	If medical advice is needed, have product container or label at hand.			
P102	Keep out of reach of children.			
P103	Read carefully and follow all instructions.			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.			
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.			
P303+P361+P35	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].			
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P405	Store locked up.			
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.			
· Additional information:				
Keep out of the r	each of children			
Information concerning particular hazards for human and environment:				
May cause hypno	otic or analgesic effects.			
2.3 Other hazard	ds			
· Results of PBT and vPvB assessment				
· PBT: Not applicable.				
· vPvB: Not applic				

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

•				
· Dangerous components:				
	Paraldehyde	50.0%		
EINECS: 204-639-8	🚸 Flam. Liq. 3, H226; 🚸 Acute Tox. 4, H302			
	Eucalyptol	50.0%		
EINECS: 207-431-5	Flam. Liq. 3, H226; (1) Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335			
Additional information				

Additional information:

For the wording of the listed hazard phrases refer to section 16. Potential Health Effects:

Eyes: May cause irritation. Skin: May cause irritation. Ingestion: May cause gastrointestinal discomfort. Inhalation: May cause irritation to respiratory tract. May cause hypnotic or analgesic effects.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

No adverse effects are anticipated from inhalation.

Remove to fresh air. Give oxygen if breathing is difficult; give artificial respiration if breathing has stopped. Keep person warm, quiet, and get medical attention.

(Contd. on page 3)

GB

Date Printed 03.02.2022

Version number 1

Revision Date 03.02.2022

Trade name: Euparal thinner

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Dry chemical, CO2 or appropriate foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective gloves and glasses.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Ventilate area of spill. Eliminate all sources of ignition.Remove all non-essential personnel from area. Clean-up personnelshould wear proper protective equipment and clothing. Absorbmaterial with suitable absorbent and containerize for disposal.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about fire - and explosion protection:

The dried resin is combustible, similar to wood. Burning dry resin emits dense, black smoke. As latex, material is not combustible.

Protect against electrostatic charges.

(Contd. on page 4)



GB

(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision Date 03.02.2022

Trade name: Euparal thinner

Date Printed 03.02.2022

- · 7.2 Conditions for safe storage, including any incompatibilities
- Store in a tightly closed container suitable for flammable liquids.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: Local exhaust, eye wash, safety shower.
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

A NIOSH/MSHA chemical cartridge respirator should be worn if PEL or TLV is exceeded.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Rubber, neoprene, PVC, or equivalent

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye protection:**



Tightly sealed goggles

Splash proof chemical safety goggles should be worn at all times.

(Contd. on page 5)

GB

(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision Date 03.02.2022

Trade name: Euparal thinner

Date Printed 03.02.2022

· Body protection: Lab apron, eye wash, safety shower.

SECTION 9: Physical and chemi	cal properties
• 9.1 Information on basic physical and o • General Information	chemical properties
· Appearance: Form:	Liquid
Colour:	Amber coloured
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined. : Undetermined.
· Flash point:	28 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
Density:	Not determined.
 Relative density Vapour density 	Not determined. Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
 Solvent content: VOC (EC) 	0.00 %
Solids content:	0.0 %
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

- · 10.2 Chemical stability Stable.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

GB

Date Printed 03.02.2022

Version number 1

Revision Date 03.02.2022

Trade name: Euparal thinner

- · 10.4 Conditions to avoid Heat and open flame.
- \cdot 10.5 Incompatible materials: Alkalies, hydrocyanic acid, iodides, oxidisers.
- \cdot 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity
- Harmful if swallowed.

· LD/LC50 values relevant for classification:

470-82-6 Eucalyptol

- Oral LD50 1,073 mg/kg (mouse)
 - 2,480 mg/kg (rat)
- Specific symptoms in biological assay:
- Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Revision Date 03.02.2022

Trade name: Euparal thinner (Contd. of page 6) · Recommendation: Disposal must be made according to official regulations. **SECTION 14: Transport information** · 14.1 UN-Number · ADR, IMDG, IATA UN1993 · 14.2 UN proper shipping name · ADR 1993 FLAMMABLE LIQUID, N.O.S. · IMDG, IATA FLAMMABLE LIQUID, N.O.S. 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class 3 Flammable liquids. · Label 3 · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. **EMS Number:** F-E,S-E Stowage Category А 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S., 3

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GB



Date Printed 03.02.2022

Version number 1

ate 03.02.2022

Safety data sheet according to 1907/2006/EC, Article 31

Date Printed 03.02.2022

Version number 1

Revision Date 03.02.2022

Trade name: Euparal thinner

(Contd. of page 7)

	-
SECTION 16: Other information	
This information is based on our present knowledge and should assist the user with the sa handling of this material when properly applied. However, this shall not constitute a guarantee f any specific product features and shall not establish a legally valid contractual relationship.	
 Relevant phrases H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. 	
 Department issuing SDS: Sales department Contact: sales@agarscientific.com Tel: +44 (0) 1279 813 519 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerni the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DS0: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrt. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 	ng
• * Data compared to the previous version altered.	GB —