

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.07.2018

Version number 3

Revision: 26.07.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
  - Trade name: **Technovit 2000 LC**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
  - **Application of the substance / the mixture** Resin for metallographic testing
- **1.3 Details of the supplier of the safety data sheet**
  - **Manufacturer/Supplier:**  
Kulzer GmbH  
Leipziger Straße 2, 63450 Hanau (Germany)  
Tel.: +49 (0)6181 9689-2570 (Wehrheim)
  - **Informing department:** email: [technik.wehrheim@kulzer-dental.com](mailto:technik.wehrheim@kulzer-dental.com)
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
  - **Classification according to Regulation (EC) No 1272/2008**  

|                   |   |
|-------------------|---|
| Flam. Liq. 2      | H225 Highly flammable liquid and vapour.                |
| Skin Irrit. 2     | H315 Causes skin irritation.                            |
| Eye Irrit. 2      | H319 Causes serious eye irritation.                     |
| Skin Sens. 1      | H317 May cause an allergic skin reaction.               |
| Aquatic Chronic 3 | H412 Harmful to aquatic life with long lasting effects. |

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS02 GHS07

- **Signal word** Danger

- **Hazard-determining components of labelling:**

ethyl methacrylate  
methacrylic acid, monoester with propane-1,2-diol  
triethylen glycol dimethacrylate  
ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate  
mequinol

- **Hazard statements**

H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P241 Use explosion-proof electrical/ventilating/lighting equipment.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.07.2018

Version number 3

Revision: 26.07.2018

**Trade name: Technovit 2000 LC**

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

**2.3 Other hazards -**

**Results of PBT and vPvB assessment**

- PBT: Not applicable.
- vPvB: Not applicable.

**SECTION 3: Composition/information on ingredients**

**3.2 Chemical characterisation: Mixtures**

**Description: -**

**Dangerous components:**

|  |   |        |
|--|---|--------|
| CAS: 10595-06-9  | 2-phenoxyethyl methacrylate<br>Skin Irrit. 2, H315; Eye Irrit. 2, H319  | 25-50% |
| CAS: 97-63-2<br>EINECS: 202-597-5<br>Reg.nr.: 05-2114105438-54-XXXX    | ethyl methacrylate<br>Flam. Liq. 2, H225; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335            | 10-25% |
| CAS: 7534-94-3<br>EINECS: 231-403-1                                    | isobornyl methacrylate<br>Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335                       | 5-10%  |
| CAS: 27813-02-1<br>EINECS: 248-666-3                                   | methacrylic acid, monoester with propane-1,2-diol<br>Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 | 5-10%  |
| CAS: 109-16-0<br>EINECS: 203-652-6<br>Reg.nr.: 01-2119969287-21-0000   | triethylen glycol dimethacrylate<br>Skin Sens. 1B, H317   | <1%    |
| CAS: 84434-11-7<br>EINECS: 282-810-6<br>Reg.nr.: 01-2119987994-10-0000 | ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate<br>Aquatic Chronic 2, H411; Skin Sens. 1B, H317                                   | <1%    |
| CAS: 150-76-5<br>EINECS: 205-769-8                                     | mequinol<br>Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317  | <1%    |

**Additional information** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

· **After inhalation** Supply fresh air; consult doctor in case of symptoms.

· **After skin contact**

Instantly rinse with water.

If skin irritation continues, consult a doctor.

· **After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 3)

GB

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 26.07.2018

Version number 3

Revision: 26.07.2018

**Trade name: Technovit 2000 LC**

- (Contd. of page 2)
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
  - **Suitable extinguishing agents** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
  - **For safety reasons unsuitable extinguishing agents** Water.
- **5.2 Special hazards arising from the substance or mixture**  
Can form explosive gas-air mixtures.  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
  - **Protective equipment:** No special measures required.
  - **Additional information** -

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
No special measures required.  
Prevent material from reaching sewage system, holes and cellars.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.  
-

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Keep containers tightly sealed.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
  - **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
  - **Storage**
    - **Requirements to be met by storerooms and containers:** Store in cool location.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed containers.
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.07.2018

Version number 3

Revision: 26.07.2018

**Trade name: Technovit 2000 LC**

(Contd. of page 3)

**· 8.1 Control parameters**

**· Components with critical values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**· DNELs**

**109-16-0 triethylen glycol dimethacrylate**

|            |                               |                   |
|------------|-------------------------------|-------------------|
| Dermal     | worker industr., l.te., syst. | 13.9 mg/Kg/d (nd) |
| Inhalative | worker industr., l.te., syst. | 48.5 mg/m3 (nd)   |

**· PNECs**

**109-16-0 triethylen glycol dimethacrylate**

|                      |                  |
|----------------------|------------------|
| marine water         | 0.0164 mg/l (nd) |
| sedim., dw, fre.wat. | 1.85 mg/Kg (nd)  |
| sedim., dw, mar.wat. | 0.185 mg/Kg (nd) |
| soil,dw              | 0.274 mg/Kg (nd) |

**· Additional information:** The lists that were valid during the compilation were used as basis.

**· 8.2 Exposure controls**

**· Personal protective equipment**

**· General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.

**· Breathing equipment:**

Not necessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

**· Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR  
Nitrile rubber, NBR

**· Eye protection:** Safety glasses

**· Body protection:** Light weight protective clothing

GB

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.07.2018

Version number 3

Revision: 26.07.2018

**Trade name: Technovit 2000 LC**

(Contd. of page 4)

**SECTION 9: Physical and chemical properties**

**· 9.1 Information on basic physical and chemical properties**

**· General Information**

**· Appearance:**

- **Form:** Fluid
- **Colour:** Colourless
- **Smell:** Characteristic
- **Odour threshold:** Not determined.

· **pH-value:** Not determined.

**· Change in condition**

- **Melting point/freezing point:** Not determined
- **Initial boiling point and boiling range:** Not determined

· **Flash point:** 20 °C

· **Inflammability (solid, gaseous)** Not applicable.

**· Ignition temperature:**

· **Decomposition temperature:** Not determined.

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures is possible.

**· Critical values for explosion:**

- **Lower:** Not determined.
- **Upper:** Not determined.

· **Steam pressure:** Not determined.

· **Density** Not determined

- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

**· Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix

· **Partition coefficient: n-octanol/water:** Not determined.

**· Viscosity:**

- **dynamic:** Not determined.
- **kinematic:** Not determined.

**· Solvent content:**

· **Solids content:** 0,3 %

· **9.2 Other information** No further relevant information available.

**SECTION 10: Stability and reactivity**

· **10.1 Reactivity** No further relevant information available.

**· 10.2 Chemical stability**

· **Conditions to be avoided:** No decomposition if used and stored according to specifications.

· **10.3 Possibility of hazardous reactions** No dangerous reactions known

· **10.4 Conditions to avoid** No further relevant information available.

· **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.07.2018

Version number 3

Revision: 26.07.2018

**Trade name: Technovit 2000 LC**

- **10.6 Hazardous decomposition products:** None
- **Additional information:** -

(Contd. of page 5)

**SECTION 11: Toxicological information**

· **11.1 Information on toxicological effects**

- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**71549-84-3 Urethane acrylate oligomer**

|        |      |                               |
|--------|------|-------------------------------|
| Dermal | LD50 | > 2000 mg/kg (rat) (OECD 402) |
|--------|------|-------------------------------|

**97-63-2 ethyl methacrylate**

|            |          |                    |
|------------|----------|--------------------|
| Oral       | LD50     | 14800 mg/kg (rat)  |
| Dermal     | LD50     | > 2000 mg/kg (can) |
| Inhalative | LC50/4 h | 38 mg/l (rat)      |

**27813-02-1 methacrylic acid, monoester with propane-1,2-diol**

|        |      |                    |
|--------|------|--------------------|
| Oral   | LD50 | > 2000 mg/kg (rat) |
| Dermal | LD50 | > 5000 mg/kg (rab) |

**7534-94-3 isobornyl methacrylate**

|        |      |                   |
|--------|------|-------------------|
| Oral   | LD50 | >5000 mg/kg (rat) |
| Dermal | LD50 | >3000 mg/kg (rab) |

**109-16-0 triethylen glycol dimethacrylate**

|        |      |                      |
|--------|------|----------------------|
| Oral   | LD50 | > 5000 mg/kg (rat)   |
| Dermal | LD50 | > 2000 mg/kg (mouse) |

**150-76-5 mequinol**

|      |      |                  |
|------|------|------------------|
| Oral | LD50 | 1600 mg/kg (rat) |
|------|------|------------------|

· **Primary irritant effect:**

· **Skin corrosion/irritation**

Causes skin irritation.

· **Serious eye damage/irritation**

Causes serious eye irritation.

· **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:**

**27813-02-1 methacrylic acid, monoester with propane-1,2-diol**

|          |                    |
|----------|--------------------|
| EC50/72h | >97.2 mg/l (algae) |
|----------|--------------------|

|          |                    |
|----------|--------------------|
| EC50/48h | 380 mg/l (daphnia) |
|----------|--------------------|

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.07.2018

Version number 3

Revision: 26.07.2018

**Trade name: Technovit 2000 LC**

(Contd. of page 6)

**109-16-0 triethylen glycol dimethacrylate**

EC50/72h &gt; 100 mg/l (algae)

**150-76-5 mequinol**

LC50/96h 28.5 mg/l (fish)


- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
  - **Ecotoxicological effects:**
    - **Remark:** Harmful to fish
  - **Additional ecological information:**
    - **General notes:**
      - Do not allow product to reach ground water, water bodies or sewage system.
      - Danger to drinking water if even small quantities leak into soil.
      - Harmful to aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
  - **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
  - **Uncleaned packagings:**
    - **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- **14.1 UN-Number**
  - **ADR, IMDG, IATA** UN2277
- **14.2 UN proper shipping name**
  - **ADR** 1993 FLAMMABLE LIQUID, N.O.S., special provision 640D (ETHYL METHACRYLATE, STABILIZED)
  - **IMDG, IATA** ETHYL METHACRYLATE, STABILIZED mixture
- **14.3 Transport hazard class(es)**
  - **ADR**



- **Class** 3 (F1) Flammable liquids.

(Contd. on page 8)

GB

**Safety data sheet  
according to 1907/2006/EC, Article 31**


Printing date 26.07.2018

Version number 3

Revision: 26.07.2018

**Trade name: Technovit 2000 LC**

(Contd. of page 7)

|   |   |
|---|---|
| · Label   | 3   |
| · IMDG, IATA  |   |
|  |   |
| · Class   | 3 Flammable liquids.  |
| · Label   | 3   |
| · 14.4 Packing group<br>· ADR, IMDG, IATA   | II  |
| · 14.5 Environmental hazards:<br>· Marine pollutant:                              | No  |
| · 14.6 Special precautions for user   | Warning: Flammable liquids.   |
| · Kemler Number:  | 33  |
| · EMS Number:   | F-E,S-D   |
| · Stowage Category  | B   |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code         | Not applicable.   |
| · Transport/Additional information:   | -   |
| · ADR   |   |
| · Limited quantities (LQ)   | 1L  |
| · Excepted quantities (EQ)  | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · Transport category  | 2   |
| · Tunnel restriction code   | D/E   |
| · IMDG  |   |
| · Limited quantities (LQ)   | 1L  |
| · Excepted quantities (EQ)  | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · UN "Model Regulation":  | UN 1993 FLAMMABLE LIQUID, N.O.S., SPECIAL PROVISION 640D (ETHYL METHACRYLATE, STABILIZED), 3, II                |

**SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.07.2018

Version number 3

Revision: 26.07.2018

**Trade name: Technovit 2000 LC**

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** (Contd. of page 8) 50.000 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction:** 3

- **National regulations**

- **Information about limitation of use:**

- Employment restrictions concerning young persons must be observed.

- Employment restrictions concerning pregnant and lactating women must be observed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

- H225 Highly flammable liquid and vapour.

- H302 Harmful if swallowed.

- H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.

- H319 Causes serious eye irritation.

- H335 May cause respiratory irritation.

- H411 Toxic to aquatic life with long lasting effects.

- **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)

- DNEL: Derived No-Effect Level (REACH)

- PNEC: Predicted No-Effect Concentration (REACH)

- LC50: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent

- PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative

- Flam. Liq. 2: Flammable liquids – Category 2

- Acute Tox. 4: Acute toxicity – Category 4

- Skin Irrit. 2: Skin corrosion/irritation – Category 2

- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

- Skin Sens. 1: Skin sensitisation – Category 1

- Skin Sens. 1B: Skin sensitisation – Category 1B

- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **\* Data compared to the previous version altered.**