

Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
  - · Trade name: Technovit 2000 LC
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
  - · Application of the substance / the mixture Resin for metallographic testing
- · 1.3 Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim)

- · Informing department: email: technik.wehrheim@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
  - Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eve Irrit. 2 H319 Causes serious eve irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

methacrylic acid, monoester with propane-1,2-diol

2-hydroxyethyl methacrylate

triethylen glycol dimethacrylate

ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of soap and water.

P302+P352

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards -

· Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 2)



Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

Trade name: Technovit 2000 LC

· vPvB: Not applicable.

(Contd. of page 1)

## SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

Description: -

Description		
· Dangerous components:		
CAS: 27813-02-1 EINECS: 248-666-3 Reg.nr.: 01-2119490226-37-xxxx	methacrylic acid, monoester with propane-1,2-diol Eye Irrit. 2, H319; Skin Sens. 1, H317	25-50%
CAS: 868-77-9 EINECS: 212-782-2 Reg.nr.: 01-2119490169-29-xxxx	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10-25%
CAS: 7534-94-3 EINECS: 231-403-1 Reg.nr.: 01-2119886505-27-xxxx	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Aquatic Chronic 3, H412	≥10-<20%
CAS: 109-16-0 EINECS: 203-652-6 Reg.nr.: 01-2119969287-21-xxxx	triethylen glycol dimethacrylate Skin Sens. 1B, H317	≥1-≤5%
CAS: 84434-11-7 EINECS: 282-810-6 Reg.nr.: 01-2119987994-10- 0000	ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate Aquatic Chronic 2, H411 Skin Sens. 1B, H317	≥0.25-<0.5%

Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

## · 4.1 Description of first aid measures

General information

Instantly remove any clothing soiled by the product.

Personal protection for the First Aider.

After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. Remove contact lenses, if present and easy to do. Continue rinsing.

· After swallowing

Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.

GB



Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

Trade name: Technovit 2000 LC

(Contd. of page 2)

## SECTION 5: Firefighting measures

- 5.1 Extinguishing media
  - Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
  - For safety reasons unsuitable extinguishing agents Water.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Can be released in case of fire

Carbon dioxide (CO2)

Carbon monoxide (CO)

Nitrogen oxides (NOx)

phosphorus oxides (PxOy)

- 5.3 Advice for firefighters
  - **Protective equipment:**

Wear self-contained breathing apparatus.

(EN 133)

Additional information -

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

6.2 Environmental precautions:

Inform respective authorities in case product reaches water or sewage system.

Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with eyes and skin.

Do not seal containers gas-tight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Handling

do not mix with amine organic peroxides Radical initiator

reducing agent

(Contd. on page 4)



Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

Trade name: Technovit 2000 LC

(Contd. of page 3)

Strong bases Strong oxidizers Strong acids

- · 7.2 Conditions for safe storage, including any incompatibilities
  - · Storage
    - · Requirements to be met by storerooms and containers: Store in cool location.
    - · Information about storage in one common storage facility: Not required.
    - Further information about storage conditions: Store in cool, dry conditions in well sealed containers.
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Not required.

· DNI	· DNELs				
27813-02-	1 methacrylic acid, monoester with pro	ppane-1,2-diol			
Oral	general population, long term, systemic	2.5 mg/Kg (not defined)			
Dermal	worker industrial, long term, systemic	4.2 mg/Kg/d (not defined)			
	general population, long term, systemic	2.5 mg/Kg/d (not defined)			
Inhalative	worker industrial, long term, systemic	14.7 mg/m3 (not defined)			
	general population, long term, systemic	8.8 mg/m3 (not defined)			
868-77-9	2-hydroxyethyl methacrylate				
Oral	general population, long term, systemic	0.83 mg/Kg (not defined)			
Dermal	worker industrial, long term, systemic	1.3 mg/Kg/d (not defined)			
	general population, long term, systemic	0.83 mg/Kg/d (not defined)			
Inhalative	worker industrial, long term, systemic	4.9 mg/m3 (not defined)			
	general population, long term, systemic	2.9 mg/m3 (not defined)			
7534-94-3	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-	2-yl methacrylate			
Oral	general population, long term, systemic	0.21 mg/Kg (not defined)			
Dermal	worker industrial, long term, systemic	0.35 mg/Kg/d (not defined)			
	general population, long term, systemic	0.21 mg/Kg/d (not defined)			
Inhalative	worker industrial, long term, systemic	1.22 mg/m3 (not defined)			
	general population, long term, systemic	0.36 mg/m3 (not defined)			
109-16-0 1	riethylen glycol dimethacrylate				
Oral	general population, long term, systemic	8.33 mg/Kg (not defined)			
Dermal	worker industrial, long term, systemic	13.9 mg/Kg/d (not defined)			
	general population, long term, systemic	8.33 mg/Kg/d (not defined)			
Inhalative	worker industrial, long term, systemic	48.5 mg/m3 (not defined)			
	general population, long term, systemic	14.5 mg/m3 (not defined)			
	7 ethyl phenyl(2,4,6-trimethylbenzoyl)	phosphinate			
Oral	general population, long term, systemic	0.5 mg/Kg (not defined)			
Dermal	worker industrial, long term, systemic	1.4 mg/Kg/d (not defined)			
		(Contd. on page 5)			



Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

Trade name: Technovit 2000 LC

		(Contd. of page			
	general population, long	,			
Inhalative	worker professional, long	- · · · · · · · · · · · · · · · · · · ·			
	general population, long	term, systemic   0.87 mg/m3 (not defined)			
·PNE	ECs				
27813-02-	1 methacrylic acid, mon	noester with propane-1,2-diol			
freshwater	r	0.904 mg/l (not defined)			
marine wa	ter	0.904 mg/l (not defined)			
sewage tre	eatment plant	10 mg/l (not defined)			
sediment,	dry weight, freshwater	6.28 mg/Kg (not defined)			
sediment,	dry weight, marine water	6.28 mg/Kg (not defined)			
soil, dry w	eight	0.727 mg/Kg (not defined)			
868-77-9	2-hydroxyethyl methacry	ylate			
freshwater	r	0.482 mg/l (not defined)			
marine wa	ter	0.482 mg/l (not defined)			
sewage tre	eatment plant	10 mg/l (not defined)			
sediment,	dry weight, freshwater	3.79 mg/Kg (not defined)			
· -		3.79 mg/Kg (not defined)			
soil, dry weight 0.476 mg/Kg (not defined)					
7534-94-3	Exo-1,7,7-trimethylbicy	vclo[2.2.1]hept-2-yl methacrylate			
freshwater	r	0.00233 mg/l (not defined)			
marine wa	ter	- , , , , , , , , , , , , , , , , , , ,			
sewage tre	eatment plant	2.45 mg/l (not defined)			
sediment, dry weight, freshwater		1.2 mg/Kg (not defined)			
sediment,	dry weight, marine water				
soil, dry w	eight	0.239 mg/Kg (not defined)			
109-16-0 t	triethylen glycol dimetha	acrylate			
freshwate	r	0.016 mg/l (not defined)			
marine water		0.002 mg/l (not defined)			
sewage treatment plant		1.7 mg/l (not defined)			
sediment,	dry weight, freshwater	0.185 mg/Kg (not defined)			
sediment,	dry weight, marine water				
soil, dry w	_	0.027 mg/Kg (not defined)			
84434-11-	7 ethyl phenyl(2,4,6-trin	nethylbenzoyl)phosphinate			
freshwater	r	0.00101 mg/l (not defined)			
marine wa	ter	0.000101 mg/l (not defined)			
sediment,	dry weight, freshwater	0.24 mg/Kg (not defined)			
	dry weight, marine water				
soil, dry weight 0.0475 mg/Kg (not defined)					

Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls

  - Appropriate engineering controls No further data; see item 7.
     Individual protection measures, such as personal protective equipment
     General protective and hygienic measures
     Keep away from foodstuffs, beverages and food.
     Instantly remove any soiled and impregnated garments.

(Contd. on page 6)



Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

Trade name: Technovit 2000 LC

(Contd. of page 5)

Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.

Breathing equipment:

Use breathing protection in case of insufficient ventilation.

Filter A/P2.

Hand protection
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. NBR: acrylonitrile-butadiene rubber (0,11 mm)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

- · Eye/face protection eye protection (EN 166)
- · Body protection: Light weight protective clothing
- Environmental exposure controls

Do not allow to enter the ground/soil.

Do not allow to enter drainage system, surface or ground water.

#### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

General Information

Physical state · Colour:

· Smell:

Odour threshold:

Melting point/freezing point:

Boiling point or initial boiling point and

boiling range

· Flammability

· Lower and upper explosion limit

Lower:

· Flash point:

Upper:

Ignition temperature:

· Decomposition temperature:

Fluid

Colourless

Characteristic

Not determined.

Not determined

209 °C (27813-02-1 methacrylic acid, monoester with propane-1,2-diol)

Not determined.

Not determined.

Not determined.

106°C (868-77-9 2-hydroxyethyl methacrylate) 255°C (109-16-0 triethylen glycol

dimethacrylate) Not determined.

Technovit 2000 LC >75 °C

SADT

· pH Not determined.

(Contd. on page 7)



Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

Trade name: Technovit 2000 LC

(Contd. of page 6)

· Viscosity:

Kinematic viscosity dvnamic:

Solubility Water:

Partition coefficient n-octanol/water (log value)

Steam pressure at 20 °C:

· Density and/or relative density

Density at 20 °C · Relative density

· Vapour density · 9.2 Other information

Not determined.

Not miscible or difficult to mix

1.0766 g/cm<sup>3</sup>

Not determined.

Not determined.

0.1 hPa

Not determined. Not determined.

No further relevant information available.

Appearance:

Fluid Form:

Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting.

Explosive properties: Product is not explosive. However, formation of

Void

explosive air/vapour mixtures is possible.

Change in condition

Evaporation rate Not determined.

· Information with regard to physical hazard classes

Void Explosives · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Void

Pyrophoric solids Self-heating substances and mixtures · Substances and mixtures, which emit

flammable gases in contact with water Oxidising liquids Void Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
  - Conditions to be avoided: Protect from heat and direct sunlight.
- · 10.3 Possibility of hazardous reactions Exothermic polymerisation
- · 10.4 Conditions to avoid Heat, flames and sparks.

moisture exposure

(Contd. on page 8)



Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

Trade name: Technovit 2000 LC

(Contd. of page 7)

· 10.5 Incompatible materials:

amine

organic peroxides

Radical initiator

reducing agent

Strong bases Strong oxidizers

Strong acids

10.6 Hazardous decomposition products: None

Additional information: -

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
  - · Acute toxicity Based on available data, the classification criteria are not met.

	· LD/L	.C50 vai	ues tnat	are	reieva	nt tor	CIASSITI	cation	:
2704	2 02 4	l matha	ordio oo	id n	2020	otor w	th nron	ana 1	2 4

27813-02-1 methacrylic acid, monoester with propane-1,2-diol

|LD50| >2,000 mg/kg (rat) (OECD 401) Dermal LD50 >5,000 mg/kg (rabbit)

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 5,564 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

7534-94-3 Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate

Oral LD50 3,160 mg/kg (rat)

109-16-0 triethylen glycol dimethacrylate

Oral LD50 8,300 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (mouse)

84434-11-7 ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

LD50 >5,000 mg/kg (rat) (OECD 401) Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met. **Carcinogenicity** Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
  - Endocrine disrupting properties

None of the ingredients is listed.



Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

Trade name: Technovit 2000 LC

(Contd. of page 8)

12.1 Toxicity	12: Ecological information
Aquatic to	
	nethacrylic acid, monoester with propane-1,2-diol
EC50/72h	>97.2 mg/l (algae)
EC50/48h	>143 mg/l (daphnia) (OECD 202)
NOEC / 21d	45.2 mg/l (daphnia) (OECD 211)
	>97.2 mg/l (algae) (OECD 201)
NOEC / 72h	>97.2 mg/l (algae) (OECD 201)
LC50/48h	483 mg/L (fish)
868-77-9 2-h	ydroxyethyl methacrylate
EC50/21d	90.1 mg/L (daphnia) (OECD 211)
EC50/48h	380 mg/l (daphnia) (OECD 202)
LC50/96h	>100 mg/l (fish) (OECD 203)
NOEC / 21d	24.1 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	836 mg/l (algae) (OECD 201)
NOEC / 72h	400 mg/l (algae) (OECD 201)
NOEC / 48h	171 mg/l (daphnia) (OECD 202)
EbC50 / 72h	345 mg/l (algae) (OECD 201)
7534-94-3 Ex	co-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate
EC50/72h	2.28 mg/l (algae)
EC50/21d	0.658 mg/L (daphnia) (OECD 211)
EC50/48h	>2.57 mg/l (daphnia) (OECD 202)
LC50/96h	1.79 mg/l (fish) (OECD 203)
NOEC / 21d	0.233 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	2.28 mg/l (algae) (OECD 201)
NOEC / 72h	0.251 mg/l (algae) (OECD 201)
NOEC / 96h	0.97 mg/l (fish) (OECD 203)
NOEC / 48h	2.57 mg/l (daphnia) (OECD 202)
ErC10/72h	0.751 mg/L (algae) (OECD 201)
109-16-0 trie	thylen glycol dimethacrylate
EC50/21d	51.9 mg/L (daphnia) (OECD 211)
LC50/96h	16.4 mg/l (fish) (OECD 203)
	32 mg/l (daphnia) (OECD 211)
	>100 mg/l (algae) (OECD 201)
	18.6 mg/l (algae) (OECD 201)
	72.8 mg/l (algae) (OECD 201)
	thyl phenyl(2,4,6-trimethylbenzoyl)phosphinate
EC50/72h	1.01 mg/l (algae)
EC50/48h	2.26 mg/l (daphnia) (OECD 202)
LC50/96h	1.89 mg/l (fish) (OECD 203)
	1.01 mg/l (algae) (OECD 201)
NOEC / 96h	≥1.29 mg/l (fish) (OECD 203)



Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

Trade name: Technovit 2000 LC

(Contd. of page 9)

· 12.2 Persistence and degradability

27813-02-1 methacrylic acid, monoester with propane-1,2-diol

Biodegradation 81 % /28d (not defined) (OECD 301C)

868-77-9 2-hydroxyethyl methacrylate

Biodegradation 92-100 % /14d (not defined) (OECD 301C)

7534-94-3 Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate

Biodegradation 70 % /28d (not defined) (OECD 310)

109-16-0 triethylen glycol dimethacrylate

Biodegradation 85 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

84434-11-7 ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Biodegradation <10 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

· 12.3 Bioaccumulative potential

7534-94-3 Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate

Bloconcentration factor (BCF) 37 (not defined) (OECD 305)

- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
  - · PBT: Not applicable.
  - · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
  - · Additional ecological information:
    - General notes:

Harmful to aquatic organisms

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
  - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
  - · **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport informat	IOII	
14.1 UN number or ID number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	

(Contd. on page 11)



Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

Trade name: Technovit 2000 LC

		(Contd. of page 1
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordi IMO instruments	<b>ng to</b> Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - · Directive 2012/18/EU
    - · Named dangerous substances ANNEX I None of the ingredients is listed.
    - · Seveso category not assigned
    - · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature
SAPT: Self Accelerating Polymerisation Temperature
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement
Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IMAC: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

(Contd. on page 12)



Printing date 01.06.2022 Version number 6 Revision: 01.06.2022

Trade name: Technovit 2000 LC

(Contd. of page 11)

Skin Sens. 1B: Skin sensitisation – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Sources

(EC) 1272/2008: classification, labelling and packaging of substances and mixtures (EĆ) 1907/2006: UK REACH

ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport

\* Data compared to the previous version altered.