

Printing date 20.08.2024

Version number 2 (replaces version 1)

Revision: 20.08.2024

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
 - · Trade name: Technovit LC Xpress
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture metallography
- · 1.3 Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim)

- · Informing department: email: technik.wehrheim@kulzer-dental.com
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Hazard statements

H317 May cause an allergic skin reaction.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

- · 2.3 Other hazards
 - · Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - · Description: -

(Contd. on page 2)



Printing date 20.08.2024

Version number 2 (replaces version 1)

Revision: 20.08.2024

Trade name: Technovit LC Xpress

| | (Conte | d. of page |
|---|--|------------|
| Dangerous components: | | |
| | bisphenol A polyethnylene glycol diether dimethacrylate Aquatic Chronic 4, H413 | 50-75% |
| | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide Skin Sens. 1A, H317 Aquatic Chronic 4, H413 | ≥1-<5% |

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - General information

Personal protection for the First Aider.

Instantly remove any clothing soiled by the product.

- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet.

- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire

Carbon dioxide (CO2)

Carbon monoxide (CO)

phosphorus oxides (PxOy)

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained breathing apparatus.

(EN 133)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with eyes and skin.

(Contd. on page 3)



Printing date 20.08.2024

Version number 2 (replaces version 1)

Revision: 20.08.2024

Trade name: Technovit LC Xpress

(Contd. of page 2)

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Prevent material from reaching sewage system, holes and cellars.

Damp down gases/fumes/haze with water spray jet.

6.3 Methods and material for containment and cleaning up:

Dispose of the material collected according to regulations.

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with eyes and skin.

Open and handle container with care.

Store in cool, dry place in tightly closed containers.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Handling

do not mix with

reducing agent

Strong acids

Strong bases

Strong oxidizers

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by storerooms and containers:

Store in cool location.

Keep away from heat.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store container in a well ventilated position.

Store in cool, dry conditions in well sealed containers.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

DAIL

· DNELs

41637-38-1 bisphenol A polyethnylene glycol diether dimethacrylate

| Oral | general population, long term, systemic | 5 mg/Kg (not defined) |
|--------|---|---------------------------|
| Dermal | worker industrial, long term, systemic | 140 mg/Kg/d (not defined) |
| | general population, long term, systemic | 50 ma/Ka/d (not defined) |

(Contd. on page 4)



Printing date 20.08.2024

Version number 2 (replaces version 1)

Revision: 20.08.2024

Trade name: Technovit LC Xpress

| | | | (Contd. of page 3) |
|------------|---|---------------------------|--------------------|
| Inhalative | worker industrial, long term, systemic | 98.7 mg/m3 (not defined) | , , , |
| | general population, long term, systemic | | |
| | 6-7 phenyl bis(2,4,6-trimethylbenzoyl)- | | |
| Oral | general population, long term, systemic | 1.5 mg/Kg (not defined) | |
| Dermal | worker industrial, long term, systemic | 3 mg/Kg/d (not defined) | |
| | general population, long term, systemic | 1.5 mg/Kg/d (not defined) | |
| Inhalative | worker industrial, long term, systemic | 21 mg/m3 (not defined) | |
| | general population, long term, systemic | 5.2 mg/m3 (not defined) | |

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Instantly remove any soiled and impregnated garments.

Do not eat or drink while working.

Avoid contact with the eyes and skin.

The usual precautionary measures should be adhered to in handling the chemicals.

Wash hands during breaks and at the end of the work.

· Breathing equipment: Use breathing protection in case of insufficient ventilation.

Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

chemical protection gloves are suitable, which are tested according to EN 374

Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection eye protection (EN 166)
- · Body protection: Light weight protective clothing
- · Environmental exposure controls Do not allow to enter the ground/soil.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Smell:
Odour threshold:
Melting point/freezing point:
Fluid
Yellow
Characteristic
Not determined
Not determined

(Contd. on page 5)



Revision: 20.08.2024

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2024

Version number 2 (replaces version 1)

Trade name: Technovit LC Xpress

(Contd. of page 4) · Boiling point or initial boiling point and >168 °C (162881-26-7 phenyl bis(2,4,6boiling range trimethylbenzoyl)-phosphine oxide) · Flammability Not applicable. · Lower and upper explosion limit · Lower: Not determined. Not determined. · Upper: Flash point: 211 °C (41637-38-1 bisphenol a polyethylene glycol diether dimethacrylate) · Auto-ignition temperature: not determined Ingredients: No information available Not determined. Decomposition temperature: ·SADT Mixture is non-soluble (in water). рΗ Viscosity: Kinematic viscosity Not determined. · Kinematic viscosity · dynamic: Not determined. Solubility Not miscible or difficult to mix Water: · Partition coefficient n-octanol/water (log Not determined. value) · Steam pressure: Not determined. components: no information available · Vapour pressure: Density and/or relative density Not determined Density Relative density Not determined. · Vapour density Not determined. · 9.2 Other information No further relevant information available. · Appearance: Fluid Form: · Important information on protection of health and environment, and on safety. Self-inflammability: Product is not selfigniting. Product is not explosive. · Explosive properties: Not determined. Change in condition · Evaporation rate Not determined. · Information with regard to physical hazard classes Void Explosives Flammable gases Void · Aerosols Void · Oxidising gases · Gases under pressure · Flammable liquids Void Void Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void

(Contd. on page 6)



Printing date 20.08.2024

Version number 2 (replaces version 1)

Revision: 20.08.2024

Trade name: Technovit LC Xpress

| Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides Corrosive to metals Desensitised explosives Void | | | (Contd. of page 5) |
|--|--------------------------------------|------|--------------------|
| flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void | Self-heating substances and mixtures | Void | |
| Oxidising liquids Oxidising solids Organic peroxides Corrosive to metals Void Void | Substances and mixtures, which emit | | |
| Oxidising solids Organic peroxides Corrosive to metals Void Void | | Void | |
| • Organic peroxides Void • Corrosive to metals Void | · Oxidising liquids | Void | |
| Corrosive to metals Void | | Void | |
| Corrosive to metals Void | · Organic peroxides | Void | |
| · Desensitised explosives Void | · Corrosive to metals | Void | |
| • | · Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid Heat, flames and sparks.
- · 10.5 Incompatible materials:

reducing agent

Strong bases

Strong oxidizers

Strong acids

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - · Acute toxicity Based on available data, the classification criteria are not met.
 - LD/LC50 values that are relevant for classification:

41637-38-1 bisphenol A polyethnylene glycol diether dimethacrylate

Oral LD50 >2,000 mg/kg (rat) (OECD 423)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Oral LD50 >2,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

Based on available data, the classification criteria are not met.

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Oral NOAEL (parental toxicity) >1,000 mg/kg/d (rat)

- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 20.08.2024

Version number 2 (replaces version 1)

Revision: 20.08.2024

(Contd. of page 6)

Trade name: Technovit LC Xpress

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

41637-38-1 bisphenol A polyethnylene glycol diether dimethacrylate

EC50/72h >100 mg/l (algae) (OECD 201) LL50/96h >100 mg/L (fish) (OECD 203) >100 mg/L (daphnia) (OECD 202) EL50/48h EL50/72h >100 mg/L (algae) (OECD 201) NOEC / 21d ≥22.4 mg/l (daphnia) (OECD 211)

NOEC 28d | 14.3 mg/l (bacteria)

NOELR 100 mg/L /48h (daphnia) (OECD 202)

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

>0.26 mg/l (algae) (OECD 201) EC50/72h >0.001175 mg/l (daphnia) (OECD 202) EC50/48h >0.09 mg/l (fish) (OESO 203) LC50/96h

· 12.2 Persistence and degradability

41637-38-1 bisphenol A polyethnylene glycol diether dimethacrylate

Biodegradation 24 % /28d (not defined) (OECD 301D)

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Biodegradation 1 % /29d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

12.3 Bioaccumulative potential

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Bloconcentration factor (BCF) <5 (not defined)

- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - vPvB: Not applicable
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

(Contd. on page 8)



Printing date 20.08.2024

Version number 2 (replaces version 1)

Revision: 20.08.2024

Trade name: Technovit LC Xpress

Non contaminated packagings can be used for recycling.

(Contd. of page 7)

| SECTION 14: Transport information | on | |
|---|--------------------------------|--|
| · 14.1 UN number or ID number · ADR, IMDG, IATA | Void | |
| 14.2 UN proper shipping name ADR, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA Class | Void | |
| · 14.4 Packing group · ADR, IMDG, IATA | Void | |
| · 14.5 Environmental hazards: | Not applicable. | |
| · 14.6 Special precautions for user | Not applicable. | |
| · 14.7 Maritime transport in bulk according IMO instruments | y to Not applicable. | |
| · Transport/Additional information: | - | |
| UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed. LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)
 - · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H317 May cause an allergic skin reaction.

H413 May cause long lasting harmful effects to aquatic life.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 9)



Printing date 20.08.2024

Version number 2 (replaces version 1)

Revision: 20.08.2024

Trade name: Technovit LC Xpress

(Contd. of page 8)

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

· Sources

(EC) 1272/2008: classification, labelling and packaging of substances and mixtures (EC) 1907/2006: UK REACH ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport

* Data compared to the previous version altered.